Conceptual Paper
Volume 7 Issue 1 - August 2022
DOI: 10.19080/OAJGGM.2022.07.555701

OAJ Gerontol & Geriatric Med
Copyright © All rights are reserved by George Tadros

Adapting Group Cognitive Stimulation Therapy for Dementia to Egyptian Culture (CST-Egy)

Alia Adel Saleh[1], Ola Osama Khalaf[1], Reham Kamel[2], Sandra Wassim Elseesy[2], Osama Refaat[3], Noha Ahmed Sabry[3] and George Tadros[4]*

Submission: August 08, 2022; **Published:** August 24, 2022

***Corresponding author**:

feasibility, that was followed by a Delphi group consensus. We also

How to cite this article:

How to cite this article:

recommended a one-hour session, while 34.5 % recommended a 45 minutes session and 24.1 % recommended a longer session of one and half hour. The majority of the participants (73.3 %) believed that outpatient clinics and day care centres are the most convenient settings, 23.3 % thought that residential facilities are more convenient and only 3.4 % thought that hospital inpatient wards are convenient (Table 1). Rating of the different activities

How to cite this article:

Faces/scenes	Faces /scenes not familiar	Replaced with faces of famous people (actors/singers/politicians/football players) and famous places in Egypt. Famous people and places were chosen from different times. Old and new generations/scenes compared.
Word Associations	Word Associations not familiar	Replaced with Egyptian proverbs/slogans/couples
Being creative	non	non
Categorizing objects	non	non
Orientation	Maps may be difficult to low educational levels. Asking about travel in different socioeconomic levels.	Using an illustrated map of Egypt with governments identified by their famous features. Asking about travelling for religious rituals (pilgrimage) and work.
Using money	non	Egyptian money old and new used.
Number games/games	Bingo/chess not familiar	Cards/domino/backgammon suggested
Word games	May be challenging for illiterate	Working as teams may provide help

How to cite this article:

How to cite this article:

was evident in the study done in Hong Kong where the authors identified 2 key cultural issues:

(i) less active opinion sharing in group discussions due to conservatism/cautiousness and

(ii) preference of practical activities with reward/recognition over pure discussion due to pragmatism. The authors recommended a group of coping strategies that involved material reinforcement in the form of gifts and food, focus on group cohesiveness, and using rituals and actions rather than simple group discussions [19].

People in the Arab cultures have high regard and concern for the elderly. In describing the customs of the Egyptians, descriptive writings of modern times say the younger show great respect to them and believe that their prayers and vows are answered. Children particularly in villages are often instructed to kiss the hands of older people, young people are encouraged to listen to and learn from the elders. The wisdom of the old is seldom questioned. Elderly people usually live in extended families where they are cared for by their children and grandchildren and have influence over them [35].

Therefore, it was important to provide Egyptian 8 TwBDCFToETEthe oldisca8.4(o).1(egies)14.8(e ans)4.8(appeal0.8,de)0.6imaged test0.8

How to cite this article:

International.

7. Spector A, Thorgrimsen L, Wood B, Orrell M (2006) An evidence-based group programme to offer cognitive stimulation therapy (CST) to people with dementia. The Journal for Dementia Care. London, UK: Hawker Publications.

8. Aguirre E, Spector A, Hoe J, Streater A, Woods B, et al. (2011) Development of an evidence-based extended programme of maintenance cognitive stimulation therapy (CST) for people with dementia. Non-Pharmacological Therapies in Dementia Journal 1(3): 197-216.

9. Orrell M, Aguirre E, Spector A, Hoare Z, Woods RT, et al. (2014) Maintenance cognitive stimulation therapy for dementia: Single-blind, multicentre, pragmatic randomised controlled trial. Br J Psychiatr 204(6): 454-461.

10. Yates L, Leung P, Orgeta V, Spector A, Orrell M (2014) The development of individual cognitive stimulation therapy (iCST) for dementia. Clin Interv Aging 10:95-104.

11. Orrell M, Yates L, Leung P, Kang S, Hoare Z, et al. (2017) The impact of individual Cognitive Stimulation Therapy (iCST) on cognition, quality of life, caregiver health, and family relationships in dementia: A randomised controlled trial. PLoS Med 14(3): e1002269.

12. Woods B, Aguirre E, Spector AE, Orrell M (2012) Cognitive stimulation to improve cognitive functioning in people with dementia. Cochrane Database Syst Rev (2): CD005562.

13. Lobbia A, Carbone E, Faggian S, Gardini S, Piras F, et al. (2019) The efficacy of cognitive stimulation therapy (CST) for people with mild-

How to cite this article:

Commons Attribution 4.0 License

Your next submission with Juniper Publishers will reach you the below assets

- Quality Editorial service
- Swift Peer Review
- Reprints availability
- E-prints Service
- Manuscript Podcast for convenient understanding
- Global attainment for your research
- Manuscript accessibility in different formats
  (Pdf, E-pub, Full Text, Audio)
- Unceasing customer service

Track the below URL for one-step submission
https://juniperpublishers.com/online-submission.php